




ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

Item No. Description

1094- P - 43 - 12 - 620



① Series No.	② Type of lamp	③ Diameter	④ Number of light bulbs	⑤ Color of finish
	<ul style="list-style-type: none"> ● C: Ceiling ● P: Pendant ● W: Wall Lamp ● T: Table Lamp ● F: Floor Lamp ● PT: Lantern Head 			<ul style="list-style-type: none"> ● 101: Black ● 125: Oxidized Bronze ● 126: Chocolate ● 169: Medallion Gold ● 103: White ● 268: Sun Gold ● 269: Pewter ● 601: C: Chrome ● 602: Satin Gold ● 606: Satin Nickel ● 612: Pearl Black ● 613: Polished Nickel ● 620: Gold Leaf ● 624: Brass ● C: Chrome ● G: Gold ● ST: Stainless Steel

TABLE OF CONTENTS

Collections Page: 008-257

1

Prime Program Page: 258-285

2

Mini Pendants Page: 286-299

3

Ceiling Lights Page: 300-307

4

Wall Sconces Page: 308-321

5

Bath & Vanity Page: 322-329

6

Table & Floor Lamps Page: 330-333

7

Mirrors Page: 334-355

8

Outdoor Page: 356-371

9

Suspension Kit Page:372-375

10

VISUAL INDE9



1020 Page: 168-173



1034 Page: 134-139



1040 Page: 154-155



1044 Page: 206-209



1046 Page: 200-205



1057 Page: 216-217



1063 Page: 174-177



1084 Page: 198-199



1090 Page: 182-185



1094 Page: 124-129



1103 Page: 144-147



1112 Page: 186-189



1125 Page: 156-159



1153 Page: 160-161



1178 Page: 148-149



1205 Page: 164-167



1212 Page: 162-163



1220 Page: 190-193



1241 Page: 313



1242 Page: 312-313



1243 Page: 313



1245 Page: 130-133



1246 Page: 118-123



1247 Page: 194-197



1262 Page: 140-143

VISUAL INDE9



1273 Page: 150-153



1375 Page: 108-111



1390 Page: 290-291



NEW

1502 Page: 310-311



1567 Page: 302-303



NEW

1586 Page: 030-039



NEW

1587 Page: 058-071



NEW

1588 Page: 086-099



NEW

1589 Page: 072-085



NEW


1601 Page: 048-057



1592 Page: 178-181



1673 Page: 112-115



NEW

1698 Page: 040-047



NEW

1703 Page: 100-107



NEW

1710 Page: 024-029



NEW

1715 Page: 010-019



NEW


1717 Page: 020-023



5025 Page: 228-229



5095 Page: 242-243



Prime

5206 Page: 276-277



5613 Page: 212-213



5624 Page: 322-323



5626 Page: 213



5628 Page: 211



5635 Page: 210

VISUAL INDE9



5638 Page: 213



6601 Page: 256-257



6606 Page: 254



6629 Page: 255



7112 Page: 214-215



7117 Page: 288-289



8001 Page: 260-271



8003 Page: 278-281



8005 Page: 282-285



8012 Page: 272-275



8311 Page: 250-253



8318 Page: 244-249



9611 Page: 294-295



9613 Page: 314-315



9629 Page: 292-293



9631 Page: 293



9748 Page: 236-237



9827 Page: 230-235



9836 Page: 238-241



9906 Page: 218-219



9957 Page: 220-223



9969 Page: 224-227



0412B Page: 370



0413 Page: 366-367



0417 Page: 368-369



1695 Page: 364-365



1696 Page: 362-363



NEW

1694 Page: 360-361



NEW

1702 Page: 358-359



1232 Page: 348-355



1233 Page: 340-347



SK004 Page: 374



ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

1

Collections

MOON








MOON




LED




A 




No.	Model	Watt	Delivered Lumens	Finish	
A	1715P70-10-624	45W	2340	Brass 	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 





No.	Model	Watt	Delivered Lumens	Finish	
A	1715P54-7-624	36W	1872	Brass 	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A



B



No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1715P8-4-624	24W	1248	Brass	Maximum Cable Length 120"
B	1715W8-4-624	24W	1248	Brass	CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours





A



MOON





B 





No.	Model	Watt	Delivered Lumens	Finish	
A	1715P8-4-101	24W	1248	Black 	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
B	1715P54-7-101	36W	1872	Black 	

MOON




A 




No.	Model	Watt	Delivered Lumens	Finish	
A	1715P70-10-101	45W	2340	Black 	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 



No.	Model	Watt	Delivered Lumens	Finish	Dimmable with CCT	ELV dimmer(not included)
A	1715W8-4-101	24W	1248	Black 	3000,4000,5000K	3000,4000,5000K
					CRI(Ra)	>90
					Dimming	100%-10%
					Rated Life	50000 hours




A 

SOLARA








B 



A



B

No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1717P72-624	45W	2340	Brass 	CCT 3000,4000,5000K
B	1717P50-624	30W	1560	Brass 	CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours





A



SOLARA






B 



No.	Model	Watt	Delivered Lumens	Finish	Dimmable with CCT	ELV dimmer(not included)
A	1717P72-101	45W	2340	Black 	>90	3000,4000,5000K
B	1717P50-101	30W	1560	Black 	100%-10%	50000 hours

SABER








A






SABER





B 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1710P70-3-624	108W	5616	Brass 	Clear	Maximum Cable Length 120"
B	1710P70-3-101	108W	5616	Black 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 






SABER






B 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1710P50-3-101	72W	3744	Black 	Clear	Maximum Cable Length 120"
B	1710P50-3-624	72W	3744	Brass 	Clear	Color Temp 3000K
						CRI(Ra) >90
						Dimming 100%-10%
						Rated Life 50000 hours

VALIRA










A

VALIRA



LED



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1586P48-624	30W	1560	Brass 	Clear	
B	1586P60-3-624	90W	4680	Brass 	Clear	

VALIRA




A 







B 



C



D



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1586P8-3-624	30W	1560	Brass	Clear	Color Temp 3000K
B	1586P12-5-624	50W	2600	Brass	Clear	CRI(Ra) >90
C	1586W5-1-624	10W	520	Brass	Clear	Dimming 100%-10%
D	1586W36-3-624	30W	1560	Brass	Clear	Rated Life 50000 hours



A



VALIRA





LED



B 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1586P12-5-101	50W	2600	Black 	Clear	
B	1586P8-3-101	30W	1560	Black 	Clear	





VALIRA



A 



B 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 1.00%-10% Rated Life 50000 hours
A	1586P60-3-101	90W	4680	Black	Clear	
B	1586W36-3-101	30W	1560	Black	Clear	
C	1586P48-101	30W	1560	Black	Clear	
D	1586W5-1-101	10W	520	Black	Clear	





CANDORA






A 




No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698P72-624	36W	1872	Brass 	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 




No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698P50-624	27W	1404	Brass 	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours




A



B




A



B

No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698W36-624	18W	936	Brass	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
B	1698W24-624	9W	468	Brass	





CANDORA





A 





No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698P72-101	36W	1872	Black 	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

CANDORA



A 




No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698P50-101	27W	1404	Black 	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours




A



B




A



B

No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	1698W36-101	18W	936	Black	Maximum Cable Length 120"
B	1698W24-101	9W	468	Black	CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

HIMALAYAS








HIMALAYAS




LED




050




A 




No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with ELV dimmer(not included)
A	1601P48-624	25W	1300	Brass 	Clear	Maximum Cable Length 120" CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

HIMALAYAS



A 





No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with CCT	ELV dimmer(not included)
A	1601P62-624	38W	1976	Brass 	Clear	>90	3000,4000,5000K
						Dimming	100%-10%
						Rated Life	50000 hours





A 



B 




No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with CCT	ELV dimmer(not included)
A	1601W26-624	18W	936	Brass 	Clear	3000,4000,5000K	3000,4000,5000K
B	1601W36-624	18W	936	Brass 	Clear	>90	>90
						Dimming	100%-10%
						Rated Life	50000 hours




HIMALAYAS





LED 






A 





No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with CCT	ELV dimmer(not included)
A	1601P62-101	38W	1976	Black 	Clear	3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours	

HIMALAYAS



A 





No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with ELV dimmer(not included)
A	1601P48-101	25W	1300	Black 	Clear	CCT 3000,4000,5000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours





A 




B 




No.	Model	Watt	Delivered Lumens	Finish	Polyresin	Dimmable with ELV dimmer(not included)	CCT	CRI(Ra)	Dimming	Rated Life
A	1601W26-101	18W	936	Black 	Clear		3000,4000,5000K	>90	100%-10%	50000 hours
B	1601W36-101	18W	936	Black 	Clear					

LAVA







LAVA




LED



A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1587P36-33-624	390W	20280	Brass 	Clear	


LAVA




A 





B 



A



B

No.	Model	Watt	Delivered Lumens	Finish	Glass
A	1587P24-17-624	190W	9880	Brass 	Clear
B	1587P48-14-624-RC	150W	7800	Brass 	Clear

Dimmable with ELV dimmer(not included)
 Maximum Cable Length 120"
 Color Temp 3000K
 CRI(Ra) >90
 Dimming 100%-10%
 Rated Life 50000 hours

LAVA






A 



B



C



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1587P12-5-624	55W	2860	Brass	Clear	Color Temp 3000K CRI(Ra) >90
B	1587P6-1-624	10W	520	Brass	Clear	Dimming 100%-10%
C	1587W20-2-624	20W	1040	Brass	Clear	Rated Life 50000 hours




LAVA




LED



A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1587P36-33-101	390W	20280	Black 	Clear	


LAVA




A 





B 



A



B

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1587P24-17-101	190W	9880	Black 	Clear	
B	1587P48-14-101-RC	150W	7800	Black 	Clear	

LAVA






A 



B




C




No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1587P12-5-101	55W	2860	Black	Clear	
B	1587P6-1-101	10W	520	Black	Clear	
C	1587W20-2-101	20W	1040	Black	Clear	

GRETA









GRETA





A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1589P36-41-624	190W	9880	Brass 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours


GRETA




A 



B



A



B

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1589P28-25-624	110W	5720	Brass	Clear	Color Temp 3000K CRI(Ra) >90
B	1589P48-17-624-RC	70W	3640	Brass	Clear	Dimming 100%-10% Rated Life 50000 hours

GRETA



A 




B




C




D




A



B



C




D

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"	Color Temp CRI(Ra)	Dimming	Rated Life
A	1589P12-5-624	23W	1196	Brass	Clear		3000K		
B	1589W24-624	9W	468	Brass	Clear		>90		
C	1589W5-624	5W	260	Brass	Clear			100%-10%	
D	1589P5-1-624	5W	260	Brass	Clear				50000 hours





GRETA






A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1589P36-41-101	190W	9880	Black 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours


GRETA




A 





B 



A



B

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1589P28-25-101	110W	5720	Black 	Clear		
B	1589P48-17-101-RC	70W	3640	Black 	Clear		

GRETA



A 



B



C




D




A



B



C



D


No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1589P12-5-101	23W	1196	Black	Clear	Color Temp 3000K
B	1589W24-101	9W	468	Black	Clear	CRI(Ra) >90
C	1589W5-101	5W	260	Black	Clear	Dimming 100%-10%
D	1589P5-1-101	5W	260	Black	Clear	Rated Life 50000 hours

STAGGER






STAGGER








STAGGER




A 




No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1588P60-14-624	140W	7280	Brass 	Clear	



A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1588P48-10-624	100W	5200	Brass 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

STAGGER



A 







B



C




D




No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)	Color Temp	CRI(Ra)	Dimming	Rated Life
A	1588P6-3-624	30W	1560	Brass	Clear		3000K	>90	100%-10%	50000 hours
B	1588W5-1-624	10W	520	Brass	Clear					
C	1588W24-2-624	20W	1040	Brass	Clear					
D	1588W36-3-624	30W	1560	Brass	Clear					

STAGGER







STAGGER




A 




No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1588P60-14-101	140W	7280	Black 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1588P48-10-101	100W	5200	Black 	Clear	Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

STAGGER



A 







B




C



D



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1588P6-3-101	30W	1560	Black	Clear	Color Temp 3000K
B	1588W5-1-101	10W	520	Black	Clear	CRI(Ra) >90
C	1588W24-2-101	20W	1040	Black	Clear	Dimming 100%-10%
D	1588W36-3-101	30W	1560	Black	Clear	Rated Life 50000 hours





DRAGONSWATCH





A 



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1703P32-45-602	25W	1300	Satin Gold 	Clear Bubble	Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >80 Dimming 1.00%-10% Rated Life 50000 hours


DRAGONSWWATCH



A 




B 




C


D




A



B



C




D

No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
A	1703P48-18-602-RC	32W	1664	Satin Gold	Clear Bubble	
B	1703W26-602	6W	312	Satin Gold	Clear Bubble	
C	1703P48-12-602-RC	45W	2340	Satin Gold	Clear Bubble	
D	1703W5-602	3W	156	Satin Gold	Clear Bubble	





DRAGONSWATCH





A 



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with	ELV dimmer(not included)
A	1703P48-12-101-RC	45W	2340	Black 	Clear Bubble	Color Temp CRI(Ra) Dimming Rated Life	3000K >80 100%-10% 50000 hours

DRAGONSWATCH



A 




C


B




D




A



B



C



D


No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1703P32-45-101	90W	4680	Black	Clear Bubble	Maximum Cable Length 120"
B	1703P48-18-101-RC	32W	1664	Black	Clear Bubble	Color Temp 3000K
C	1703W5-101	3W	156	Black	Clear Bubble	CRI(Ra) >80
D	1703W26-101	6W	312	Black	Clear Bubble	Dimming 100%-10%
						Rated Life 50000 hours



OSKIL



LED




A




B




C



A



B



C




No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with Color Temp CRI(Ra) Dimming Rated Life	ELV dimmer(not included) 3000K ≥80 100%-10% 50000 hours
A	1375P43-6-101	27W	1404	Black	Frosted		
B	1375P31-6-101	20W	1040	Black	Frosted		
C	1375W24-1-101	3W	156	Black	Frosted		






A 



B 



No.	Model	Watt	Delivered Lumens	Finish	Acrylic
A	1375P31-6-602	20W	1040	Satin Gold 	Frosted
B	1375W24-1-602	3W	156	Satin Gold 	Frosted
C	1375P43-6-602	27W	1404	Satin Gold 	Frosted

Dimmable with ELY dimmer(not included)
 Color Temp 3000K
 CRI(Ra) >80
 Dimming 100%-10%
 Rated Life 50000 hours




SALVADOR




roycelight.com



A 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)
A	1673P32-23-613	46W	2392	Polished Nickel 	Bubbled	Maximum Cable Length 120"
						Color Temp 3000K
						CRl(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours

SALVADOR




A 




B


C



A



B





C

No.	Model	Watt	Delivered Lumens	Finish	Crystal	
A	1673P24-13-613	26W	1352	Polished Nickel	Bubbled	Dimmable with ELV dimmer(not included) CRI 90+ Temp 3000K CR100+ Dimming 100%-10% Rated Life 50000 hours
B	1673P40-9-613-RC	18W	936	Polished Nickel	Bubbled	
C	1673P4-1-613	2W	104	Polished Nickel	Bubbled	

GUADIANA









GUADIANA





A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1246P32-101	48W	2496	Black+Satin Gold 	Clear	Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

GUADIANA



A 



B 




C 







D 




A







B



C



D

No.	Model	Watt	Delivered Lumens	Finish	Glass	
A	1246P24-101-A	35W	1820	Black+Satin Gold 	Clear	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
B	1246W8-101	10W	520	Black+Satin Gold 	Clear	
C	1246W5-101	5W	260	Black+Satin Gold 	Clear	
D	1246P39-101	38W	1976	Black+Satin Gold 	Clear	


GUADIANA



A 



B 




C




D




E




A




B



C



D



E

No.	Model	Watt	Delivered Lumens	Finish	Glass
A	1246P32-602	48W	2496	Satin Gold	Clear
B	1246P24-602-A	35W	1820	Satin Gold	Clear
C	1246P39-602	38W	1976	Satin Gold	Clear
D	1246W5-602	5W	260	Satin Gold	Clear
E	1246W8-602	10W	520	Satin Gold	Clear

Dimmable with ELV dimmer(not included)
 Maximum Cable Length 120"
 CRI/Ra Temp 3000K
 Dimming 100%-10%
 Rated Life 50000 hours




A 





ANITA



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	1094P43-12-101	MAX40W	12×G9	Black 	Clear
B	1094P43-12-620	MAX40W	12×G9	Gold Leaf 	Clear

ANITA




A



B




C



No.	Model	Watt	Bulbs	Finish	Crystal
A	1094P26-12-101	MAX40	12×G9	Black	Clear
B	1094W11-3-101	MAX40	3×G9	Black	Clear
C	1094W10-2-101	MAX40	2×G9	Black	Clear



A 






B 



C 



No.	Model	Watt	Bulbs	Finish	Crystal
A	1094P26-12-620	MAX40	12×G9	Gold Leaf 	Clear
B	1094W11-3-620	MAX40	3×G9	Gold Leaf 	Clear
C	1094W10-2-620	MAX40	2×G9	Gold Leaf 	Clear

ANITA



A 





B 




C



D



No.	Model	Watt	Bulbs	Finish	Crystal
A	1094P47-10-101	MAX40W	10×G9	Black	Clear Crystal
B	1094P47-10-620	MAX40W	10×G9	Gold Leaf	Clear Crystal
C	1094P26-6-101	MAX40W	6×G9	Black	Clear Crystal
D	1094P26-6-620	MAX40W	6×G9	Gold Leaf	Clear Crystal





MILLIPEDE





A 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	
A	1245P40-602	45W	2340	Satin Gold 	Clear	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours

MILLIPEDE



A



B




C




E




D




A




B



C




D




E


No.	Model	Watt	Delivered Lumens	Finish	Crystal	
A	1245P26-602	70W	3640	Satin Gold	Clear	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
B	1245P32-602	85W	4420	Satin Gold	Clear	
C	1245W7-1-602	8W	416	Satin Gold	Clear	
D	1245P8-602	16W	832	Satin Gold	Clear	
E	1245P20-602	50W	2600	Satin Gold	Clear	




SAVANNAH




A 




No.	Model	Watt	Bulbs	Finish
A	1034P40-14-101	MAX40	14×G9	Black 



SAVANNAH



A



B



No.	Model	Watt	Bulbs	Finish
A	1034P30-9-101	MAX40	9×G9	Black
B	1034P16-6-101	MAX40	6×G9	Black






A 






B 



C 



No.	Model	Watt	Bulbs	Finish
A	1034C40-8-101	MAX40	8×G9	Black 
B	1034C20-6-101	MAX40	6×G9	Black 
C	1034W8-2-101	MAX40	2×G9	Black 

SAVANNAH



A 



C 



B 




D




E




F




A




B




C



D



E



F

No.	Model	Watt	Bulbs	Finish
A	1034P40-14-620	MAX40W	14×G9	Gold Leaf
B	1034P30-9-620	MAX40W	9×G9	Gold Leaf
C	1034P16-6-620	MAX40W	6×G9	Gold Leaf
D	1034C40-8-620	MAX40W	8×G9	Gold Leaf
E	1034C20-6-620	MAX40W	6×G9	Gold Leaf
F	1034W8-2-620	MAX40W	2×G9	Gold Leaf




A 

FLUTE








B 



A



B

No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1262P30-54-101	142	7384	Black 	Frosted	Maximum Cable Length 120"
B	1262P24-16-101	48	2496	Black 	Frosted	Color Temp 3000K
						CRI(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours


FLUTE




A 



B




A




B

No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1262P32-14-101	46W	2392	Black	Frosted	Color Temp 3000K
B	1262P5-1-101	5.5W	286	Black	Frosted	Color Temp >80 CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours




ANDES





A 



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) 80 Dimming 100%-10% Rated Life 50000 hours
A	1103P40-36-602	180W	9360	Satin Gold 	Frosted	



ANDES






A 



B 



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with	ELV dimmer(not included)
A	1103P40-6-602	30W	1560	Satin Gold 	Frosted	Color Temp CRI(Ra) Dimming	3000K >80 100%-10%
B	1103P5-1-602	5W	260	Satin Gold 	Frosted	Rated Life	50000 hours







STARBURST




A 

B 




No.	Model	Watt	Bulbs	Finish	Crystal
A	1178P44-20-601	MAX40W	20xG9	Chrome+Black 	Clear
B	1178P22-6-601	MAX40W	6xG9	Chrome+Black 	Clear




HOOPS






A



B



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1273P35-6-101-R	70W	3640	Black	White	Maximum Cable Length 120"
B	1273P35-6-602-R	70W	3640	Satin Gold	White	Color Temp 3000K
						CRI(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours


HOOPS



A



B



A B


No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1273P44-5-602-RC	42W	2184	Satin Gold	White	Maximum Cable Length 120"
B	1273P44-5-101-RC	42W	2184	Black	White	Color Temp 3000K
						CRI(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours



A



B



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELV dimmer(not included)
A	1273P24-1-602	22W	1144	Satin Gold	White	Color Temp 3000K
B	1273P24-1-101	22W	1144	Black	White	CRl(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours



A 



ROSALINA







C




B



A



B



C

No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
A	1040P42-101-O	80W	4160	Matte Black	Clear Crystal	
B	1040P26-101	45W	2340	Matte Black	Clear Crystal	
C	1040P20-101	35W	1820	Matte Black	Clear Crystal	



ELEMENT









A 



B 



No.	Model	Watt	Finish	Glass	Bulbs are not included
A	1125P24-11-268	11xLED G9xMAX 7W	Sun Gold 	Frosted	
B	1125P39-17-268	17xLED G9xMAX 7W	Sun Gold 	Frosted	

ELEMENT



A







B







C 




D 



No.	Model	Watt	Finish	Glass
A	1125P16-8-268	8×LED G9×MAX 7W	Sun Gold 	Frosted
B	1125W8-1-268	1×LED G9×MAX 7W	Sun Gold 	Frosted
C	1125C24-9-268	9×LED G9×MAX 7W	Sun Gold 	Frosted
D	1125C16-4-268	4×LED G9×MAX 7W	Sun Gold 	Frosted

Bulbs are not included



A

DA VINCI





B



C




F




D




E




A




B



C



D



E



F

No.	Model	Watt	Finish	Glass
A	1153P24-6-169	6xLED G9xMAX 7W	Medallion Gold	Frosted
B	1153W9-1-169	1xLED G9xMAX 7W	Medallion Gold	Frosted
C	1153P10-1-169	1xLED G9xMAX 7W	Medallion Gold	Frosted
D	1153W10-1-169	1xLED G9xMAX 7W	Medallion Gold	Frosted
E	1153T10-1-169	1xLED G9xMAX 7W	Medallion Gold	Frosted
F	1153P16-3-169	3xLED G9xMAX 7W	Medallion Gold	Frosted

Bulbs are not included



CELESTE



A



B





No.	Model	Watt	Finish	Glass	
A	1212P14-1-169	1×LED G9×MAX 5W	Medallion Gold	Frosted	Bulbs are not included
B	1212P8-1-169	1×LED G9×MAX 5W	Medallion Gold	Frosted	




B



A



No.	Model	Watt	Finish	Glass	
A	1212W6-2-169	2xLED G9xMAX 5W	Medallion Gold	Frosted	Bulbs are not included
B	1212T8-2-169	2xLED G9xMAX 5W	Medallion Gold	Frosted	



A







PALLOCINO





B 



No.	Model	Watt	Finish	Glass	
A	1205P36-27-601	27×LED G9×MAX 5W	Chrome 	Clear+Smoke	Bulbs are not included
B	1205P39-27-601	27×LED G9×MAX 5W	Chrome 	Clear+Smoke	



A



B




D




C




E




A




B



C



D



E

No.	Model	Watt	Finish	Glass
A	1205P25-15-601	15×LED G9×MAX 5W	Chrome	Clear+Smoke
B	1205P16-8-601	8×LED G9×MAX 5W	Chrome	Clear+Smoke
C	1205C25-10-601	10×LED G9×MAX 5W	Chrome	Clear+Smoke
D	1205C16-6-601	6×LED G9×MAX 5W	Chrome	Clear+Smoke
E	1205W9-3-601	3×LED G9×MAX 5W	Chrome	Clear+Smoke

Bulbs are not included



A 





ARYA




LED



B 



No.	Model	Watt	Finish	Glass
A	1020P39-70-602	70×LED G9×MAX7W	Satin Gold 	Frosted
B	1020P39-45-602	45×LED G9×MAX 7W	Satin Gold 	Frosted



Bulbs are not included



A







B



No.	Model	Watt	Finish	Glass
A	1020P26-25-602	25xLED G9xMAX7W	Satin Gold	Frosted
B	1020P12-8-602	8xLED G9xMAX 7W	Satin Gold	Frosted

Bulbs are not included



No.	Model	Watt	Finish	Glass
A	1020P36-16-602	16×LED G9×MAX 7W	Satin Gold 	Frosted
B	1020W18-8-602	8×LED G9×MAX 7W	Satin Gold 	Frosted
C	1020W36-17-602	17×LED G9×MAX 7W	Satin Gold 	Frosted

Bulbs are not included



A 



C 



B 



D




E




F




G




A




B




C




D



E



F



G


No.	Model	Watt	Finish	Glass
A	1020P39-70-101	70×LED G9×MAX 7W	Black	Frosted
B	1020P39-45-101	45×LED G9×MAX 7W	Black	Frosted
C	1020P26-25-101	25×LED G9×MAX 7W	Black	Frosted
D	1020P12-8-101	8×LED G9×MAX 7W	Black	Frosted
E	1020P36-16-101	16×LED G9×MAX 7W	Black	Frosted
F	1020W36-17-101	17×LED G9×MAX 7W	Black	Frosted
G	1020W18-8-101	8×LED G9×MAX 7W	Black	Frosted

Bulbs are not included





A


GENEVIEVE





B 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1063P47-169-RC	85W	4420	Medallion Gold 	Clear Crystal	
B	1063P39-169-RC	65W	3380	Medallion Gold 	Clear Crystal	

GENEVIEVE




A 




B 




C 






A



B




C

No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1063P32-169	70W	3640	Medallion Gold 	Clear Crystal	Color Temp 3000K CRI(Ra) >90
B	1063P24-169	50W	2600	Medallion Gold 	Clear Crystal	Dimming 100%-10%
C	1063P16-169	35W	1820	Medallion Gold 	Clear Crystal	Rated Life 50000 hours



AYA





A

No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1592P32-3-612	150W	7800	Pearl Black+TitaniumGold	Clear	



A 







B 




C



D



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)
A	1592P32-612	65W	3380	Pearl Black+ TitaniumGold	Clear	Maximum Cable Length 120"
B	1592P43-612-RC	75W	3900	Pearl Black+ TitaniumGold	Clear	Color Temp 3000K
C	1592P24-612	50W	2600	Pearl Black+ TitaniumGold	Clear	CRI(Ra) >90
D	1592P18-612	35W	1820	Pearl Black+ TitaniumGold	Clear	Dimming 100%-10%
						Rated Life 50000 hours



CAROLINA





LED





A 



B 





No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
A	1090P20-10-620	85W	4420	Gold Leaf 	Clear Glass	
B	1090P16-6-620	50W	2600	Gold Leaf 	Clear Glass	

CAROLINA



A 



No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1090P32-16-269	140W	7280	Pewter 	Clear Glass	Maximum Cable Length 120"
						Color Temp 3000K
						CRI(Ra) >80
						Dimming 100%-10%
						Rated Life 50000 hours




A



B



A



B

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with ELV dimmer(not included)
A	1090P20-10-269	85W	4420	Pewter	Clear Glass	Maximum Cable Length 120"
B	1090P16-6-269	50W	2600	Pewter	Clear Glass	Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours





A 



DECO





B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	1112P32-12-169	MAX60W	12×E12	Medallion Gold 	Clear
B	1112P40-34-169	MAX60W	34×E12	Medallion Gold 	Clear

DECO



A 



B 



C 

DECO



A 



B 



C 





GLACE






A 




No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) maximum cable length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1220P24-601	56W	2912	Chrome 	Clear	




A 




No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) maximum cable length 120" Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours
A	1220P40-601-S	45W	2340	Chrome 	Clear	



A 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) maximum cable length 120"
A	1220P40-601-O	88W	4576	Chrome 	Clear	Color Temp 3000K CRI(Ra) >90 Dimming 100%-10% Rated Life 50000 hours



A 

CITYSCAPE







C 




B 






A



B




C


No.	Model	Watt	Bulbs	Finish	Crystal
A	1247P39-24-602	MAX40W	24×G9	Satin Gold 	Clear
B	1247P20-12-602	MAX40W	12×G9	Satin Gold 	Clear
C	1247P28-18-602	MAX40W	18×G9	Satin Gold 	Clear


CITYSCAPE




A 





No.	Model	Watt	Bulbs	Finish	Crystal
A	1247P39-20-602-O	MAX40W	20xG9	Satin Gold 	Clear





A 



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	1247W13-5-602	MAX40W	5×G9	Satin Gold 	Clear
B	1247W24-7-602	MAX40W	7×G9	Satin Gold 	Clear



FELICITY







B 




C 






A



B



C

No.	Model	Watt	Delivered Lumens	Finish	Crystal	
A	1084P52-601-RC-2C	150W	7800	Chrome 	Clear Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 4000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
B	1084P52-601-RC-1C	80W	4160	Chrome 	Clear Crystal	
C	1084P44-601-RC-1C	68W	3536	Chrome 	Clear Crystal	




CELINA







A 



A1



A2

No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 4000K CRI(Ra) >80 Dimming 1 00%-10% Rated Life 50000 hours
A	1046P37-6-601	150W	7800	Chrome 	Clear Crystal	


CELINA






A 






B 



C 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	1046P37-7-601-RC	100W	5200	Chrome 	Clear Crystal	Color Temp 4000K CRI(Ra) >80
B	1046P26-5-601-RC	75W	3900	Chrome 	Clear Crystal	Dimming 100%-10%
C	1046P34-6-601	80W	4160	Chrome 	Clear Crystal	Rated Life 50000 hours

CELINA



A 




B 




C 




D 




A



B



C



D1

D2

No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)
A	1046P32-9-601-RC	60W	3120	Chrome	Clear Crystal	Maximum Cable Length 120"
B	1046P43-5-601-RC	70W	3640	Chrome	Clear Crystal	Color Temp 4000K
C	1046P20-19-601	130W	6760	Chrome	Clear Crystal	CRI(Ra) >80
D	1046P20-3-601	50W	2600	Chrome	Clear Crystal	Dimming 100%-10%
						Rated Life 50000 hours




A 





MADLINE



B 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 4000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
A	1044P24-601-R-5C	100W	5200	Chrome 	Clear Crystal	
B	1044P24-601-R-6C	72W	3744	Chrome 	Clear Crystal	

MADÉLINE






A



B




C 





No.	Model	Watt	Delivered Lumens	Finish	Crystal	
A	1044P32-601-R-3C	140W	7280	Chrome	Clear Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 4000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
B	1044P32-601-R-2C-B	100W	5200	Chrome	Clear Crystal	
C	1044P32-601-R-1C	72W	3744	Chrome	Clear Crystal	


FLORENCE




A 



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	5635P21ST-3S	60W	3120	Stainless Steel 	Clear Crystal	Color Temp 4000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included) Maximum Cable Length 120" Color Temp 4000K CRI(Ra) > 80 Dimming 100%-10% Rated Life 50000 hours
A	5628P34ST-20	44W	2288	Stainless Steel 	Clear Crystal	



VEIL



BALANCED



MILAN






B




A



C



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)
A	5613C20ST-R	34W	1768	Stainless Steel	Clear Crystal	Color Temp 4000K CRI(Ra) > 80
B	5626P6-1-601	4W	208	Chrome	Clear Crystal	Dimming 100%-10%
C	5638T9ST	18W	936	Chrome	Clear Crystal	Rated Life 50000 hours



CHALICE




LED




A



B



A1



A2




B1



B2

No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included) Maximum Cable Length 120"
A	7112P31-103	54W	2808	White	Color Temp 3000K CRI(Ra) >80
B	7112P24-103	30W	1560	White	Dimming 100%-10% Rated Life 50000 hours



A 

VERONIQUE







B



C



No.	Model	Watt	Bulbs	Finish	Crystal
A	1057P40-16-601	MAX40W	16xG9	Chrome	Clear Crystal
B	1057P24-8-601	MAX40W	8xG9	Chrome	Clear Crystal
C	1057P32-12-601	MAX40W	12xG9	Chrome	Clear Crystal



NOVA







A



B



No.	Model	Watt	Bulbs	Finish	Crystal
A	9906P16-6-208	MAX40W	6xG9	Champagne	Clear Crystal
B	9906P31-8-208	MAX40W	8xG9	Champagne	Clear Crystal



A 

ARKANSAS







B




C



A



B




C


No.	Model	Watt	Bulbs	Finish	Crystal
A	9957P42-12-601	MAX60W	12×E12	Chrome	Clear Crystal
B	9957P30-6-601	MAX60W	6×E12	Chrome	Clear Crystal
C	9957P20-4-601	MAX60W	4×E12	Chrome	Clear Crystal

ARKANSAS



A 



No.	Model	Watt	Bulbs	Finish	Crystal
A	9957P12-3-601	MAX60W	3×E12	Chrome 	Clear Crystal




A




B




C



A




B



C


No.	Model	Watt	Bulbs	Finish	Crystal
A	9957P30-6-101	MAX60W	6×E12	Black	Clear Crystal
B	9957P20-4-101	MAX60W	4×E12	Black	Clear Crystal
C	9957P42-12-101	MAX60W	12×E12	Black	Clear Crystal




WEISS



A 



No.	Model	Watt	Bulbs	Finish	Crystal
A	9969P30-15-601	MAX60W	15×E12	Chrome 	Clear Crystal

WEISS




A 




B




C



A



B



C

No.	Model	Watt	Bulbs	Finish	Crystal
A	9969P24-12-601	MAX60W	12×E12	Chrome	Clear Crystal
B	9969P8-5-601	MAX40W	5×G9	Chrome	Clear Crystal
C	9969P18-5-601	MAX60W	5×E12	Chrome	Clear Crystal



ABIA





LED



A



B



No.	Model	Bulbs	Finish	Crystal	Dimmable with Color Temp CRI(Ra) Dimming Rated Life	ELV dimmer(not included) 3000K,4000K,6000K >80 100%-10% 50000 hours
A	5025P22C-5	5×E12 MAX60W + LED×18W	Chrome	Clear Crystal		
B	5025P34C-8	8×E12 MAX60W + LED×44W	Chrome	Clear Crystal		





SIERRA





A 



No.	Model	Watt	Bulbs	Finish	Glass
A	9827P38-12-101	MAX60W	12×E12	Black 	Clear

SIERRA



A 




B 




C 




D 




A







B



C



D

No.	Model	Watt	Bulbs	Finish	Glass
A	9827P30-12-101-A	MAX60W	12x E12	Black 	Clear
B	9827P26-8-101	MAX60W	8x E12	Black 	Clear
C	9827P38-8-RC-101	MAX60W	8x E12	Black 	Clear
D	9827P18-6-101	MAX60W	6x E12	Black 	Clear



SIERRA





A 



B 



No.	Model	Watt	Bulbs	Finish	Glass
A	9827P14-4-101	MAX60W	4×E12	Black 	Clear
B	9827P11-2-101	MAX60W	2×E12	Black 	Clear






A




B



C



No.	Model	Watt	Bulbs	Finish	Glass
A	9827W5-1-101	MAX60W	1×E12	Black	Clear
B	9827C18-4-101	MAX60W	4×E12	Black	Clear
C	9827W21-3-101	MAX60W	3×E12	Black	Clear



PAGO








A



B




No.	Model	Watt	Bulbs	Finish
A	9748P59-4-101	LED MAX7W	4×GU10	Black
B	9748P42-3-101	LED MAX7W	3×GU10	Black




ELECTRA



A 





No.	Model	Watt	Bulbs	Finish	Crystal
A	9836P37-12-125	MAX60W	12×E12	Oxidized Bronze 	Clear Crystal



ELECTRA



A 


B 




No.	Model	Watt	Bulbs	Finish	Crystal
A	9836P28-6-125	MAX60W	6×E12	Oxidized Bronze 	Clear Crystal
B	9836P17-4-125	MAX60W	4×E12	Oxidized Bronze 	Clear Crystal



A 



A



No.	Model	Watt	Bulbs	Finish	Crystal
A	5095P32B-9	MAX60W	9×E12	Black 	Black Crystal





A 



B 




No.	Model	Watt	Bulbs	Finish	Crystal
A	5095P16B-3	MAX60W	3×E12	Black 	Black Crystal
B	5095P22B-6	MAX60W	6×E12	Black 	Black Crystal


MARIA THERESA





A 



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8318P70C-84-A	MAX40W	84xE12	Chrome 	Clear Crystal
B	8318P60C-49-A	MAX40W	49xE12	Chrome 	Clear Crystal

MARIA THERESA






B 




D 



C 



A







B



C




D


No.	Model	Watt	Bulbs	Finish	Crystal
A	8318P50C-41-B	MAX60W	41×E12	Chrome 	Clear Crystal
B	8318W12C-3	MAX60W	3×E12	Chrome 	Clear Crystal
C	8318W12C-2	MAX60W	2×E12	Chrome 	Clear Crystal
D	8318W5C-1	MAX60W	1×E12	Chrome 	Clear Crystal

MARIA THERESA




A 




No.	Model	Watt	Bulbs	Finish	Crystal
A	8318P42C-33	MAX60W	33×E12	Chrome 	Clear Crystal



A 





No.	Model	Watt	Bulbs	Finish	Crystal
A	8318P36C-25	MAX60W	25×E12	Chrome 	Clear Crystal

MARIA THERESA




A 




No.	Model	Watt	Bulbs	Finish	Crystal
A	8311P32C-19	MAX60W	19×E12	Chrome 	Clear Crystal



A 





No.	Model	Watt	Bulbs	Finish	Crystal
A	8311P30C-13	MAX60W	13×E12	Chrome 	Clear Crystal

MARIA THERESA




A 




No.	Model	Watt	Bulbs	Finish	Crystal
A	8311P24C-9	MAX60W	9×E12	Chrome 	Clear Crystal



A 




No.	Model	Watt	Bulbs	Finish	Crystal
A	8311P12C-3	MAX60W	4×E12	Chrome 	Clear Crystal


DOUBLE SPIRAL




A 




B 



C 




No.	Model	Watt	Bulbs	Finish	Crystal
A	6606C20C	MAX35W	6xGU10	Chrome 	Clear Crystal
B	6606C24C	MAX35W	9xGU10	Chrome 	Clear Crystal
C	6606C32C	MAX35W	12xGU10	Chrome 	Clear Crystal



A 



No.	Model	Watt	Bulbs	Finish	Crystal
A	6629C26C	MAX35W	10×GU10	Chrome 	Clear Crystal

RAIN DROP



A 



B 




C 



D



E



No.	Model	Watt	Bulbs	Finish	Crystal
A	6601C24C	MAX35W	9 × GU10	Chrome	Clear Crystal
B	6601C32C-12	MAX35W	12 × GU10	Chrome	Clear Crystal
C	6601C32C-16	MAX35W	16 × GU10	Chrome	Clear Crystal
D	6601C16C	MAX35W	5 × GU10	Chrome	Clear Crystal
E	6601C12C	MAX35W	3 × GU10	Chrome	Clear Crystal



ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

2

Prime Program

EMPIRE




A 




B




C



A



B




C

No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P30G	MAX60W	32×E12	Gold	Clear Crystal
B	8001P42G	MAX60W	38×E12	Gold	Clear Crystal
C	8001P36G	MAX60W	34×E12	Gold	Clear Crystal


EMPIRE



A 




B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P42C	MAX60W	38×E12	Chrome 	Clear Crystal
B	8001P36C	MAX60W	34×E12	Chrome 	Clear Crystal




A 



B 



A



B

No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P50C	MAX40W	42×E12	Chrome 	Clear Crystal
B	8001P30C	MAX60W	32×E12	Chrome 	Clear Crystal

EMPIRE



A 



C 



B 




D



F



E



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P24C	MAX60W	17×E12	Chrome	Clear Crystal
B	8001P28C	MAX60W	18×E12	Chrome	Clear Crystal
C	8001P32C	MAX60W	19×E12	Chrome	Clear Crystal
D	8001P14C	MAX60W	6×E12	Chrome	Clear Crystal
E	8001P18C	MAX60W	8×E12	Chrome	Clear Crystal
F	8001P20C	MAX60W	14×E12	Chrome	Clear Crystal



EMPIRE





A 



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P28G	MAX60W	18×E12	Gold 	Clear Crystal
B	8001P24G	MAX60W	17×E12	Gold 	Clear Crystal






A



C



B



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001P14G	MAX60W	6×E12	Gold	Clear Crystal
B	8001P20G	MAX60W	14×E12	Gold	Clear Crystal
C	8001P18G	MAX60W	8×E12	Gold	Clear Crystal

EMPIRE






A 






C 



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001C20G	MAX60W	8×E12	Gold 	Clear Crystal
B	8001C12G	MAX60W	3×E12	Gold 	Clear Crystal
C	8001C14G	MAX60W	4×E12	Gold 	Clear Crystal



D



A








B



E



C



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001C24C	MAX60W	13×E12	Chrome	Clear Crystal
B	8001C18C	MAX60W	5×E12	Chrome	Clear Crystal
C	8001C12C	MAX60W	3×E12	Chrome	Clear Crystal
D	8001C20C	MAX60W	8×E12	Chrome	Clear Crystal
E	8001C14C	MAX60W	4×E12	Chrome	Clear Crystal

EMPIRE



A





B



C




D



No.	Model	Watt	Bulbs	Finish	Crystal
A	8001W12G-B	MAX60W	3×E12	Gold	Clear Crystal
B	8001W12C-B	MAX60W	3×E12	Chrome	Clear Crystal
C	8001W12G-A	MAX60W	2×E12	Gold	Clear Crystal
D	8001W12C-A	MAX60W	2×E12	Chrome	Clear Crystal




A




B



C



A B



C

No.	Model	Watt	Bulbs	Finish	Crystal
A	8001F18C	MAX60W	8×E12	Chrome	Clear Crystal
B	8001F18G	MAX60W	8×E12	Gold	Clear Crystal
C	8001T14C	MAX60W	6×E12	Chrome	Clear Crystal



A 

PRINCESS







C 




B 






A



B



C

No.	Model	Watt	Bulbs	Finish	Crystal
A	8012P24C	MAX60W	10×E12	Chrome 	Clear Crystal
B	8012P12C	MAX60W	3×E12	Chrome 	Clear Crystal
C	8012P20C	MAX60W	8×E12	Chrome 	Clear Crystal



PRINCESS





A 



B 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8012P24G	MAX60W	10×E12	Gold 	Clear Crystal
B	8012P20G	MAX60W	8×E12	Gold 	Clear Crystal






B 






A 



C 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8012C16C	MAX60W	4×E12	Chrome 	Clear Crystal
B	8012C12C	MAX60W	3×E12	Chrome 	Clear Crystal
C	8012C20C	MAX60W	6×E12	Chrome 	Clear Crystal

IVY



A 



B




C




D




E




A




B



C



D



E

No.	Model	Watt	Bulbs	Finish	Crystal
A	5206P40C	MAX60W	18×E12	Chrome	Clear Crystal
B	5206P28C	MAX60W	9×E12	Chrome	Clear Crystal
C	5206P22C	MAX60W	6×E12	Chrome	Clear Crystal
D	5206C16C	MAX60W	3×E12	Chrome	Clear Crystal
E	5206C22C	MAX60W	6×E12	Chrome	Clear Crystal



A 

STEFANIA






B



C



No.	Model	Watt	Bulbs	Finish	Crystal
A	8003P30C	MAX60W	20×E12	Chrome	Clear Crystal
B	8003P22C	MAX60W	13×E12	Chrome	Clear Crystal
C	8003P18C	MAX60W	8×E12	Chrome	Clear Crystal

STEFANIA



A 



B 



C 



D 




E



F



G



No.	Model	Watt	Bulbs	Finish	Crystal
A	8003C36C	MAX60W	21×E12	Chrome	Clear Crystal
B	8003C30C	MAX60W	16×E12	Chrome	Clear Crystal
C	8003C24C	MAX60W	9×E12	Chrome	Clear Crystal
D	8003C20C	MAX60W	8×E12	Chrome	Clear Crystal
E	8003C16C	MAX60W	5×E12	Chrome	Clear Crystal
F	8003C12C	MAX60W	3×E12	Chrome	Clear Crystal
G	8003C8C	MAX60W	2×E12	Chrome	Clear Crystal



COLOSSEUM





A 



B 




No.	Model	Watt	Bulbs	Finish	Crystal
A	8005C14C-R	MAX60W	4×E12	Chrome 	Clear Crystal
B	8005C16C-R	MAX60W	5×E12	Chrome 	Clear Crystal




A 





B 



C



D

No.	Model	Watt	Bulbs	Finish	Crystal
A	8005C12C-R	MAX60W	4×E12	Chrome 	Clear Crystal
B	8005C20C-R	MAX60W	8×E12	Chrome 	Clear Crystal

COLOSSEUM



A 











B 



C 



No.	Model	Watt	Bulbs	Finish	Crystal
A	8005W26C-RC	MAX60W	6×E12	Chrome 	Clear Crystal
B	8005W6C-R	MAX60W	4×E12	Chrome 	Clear Crystal
C	8005W5C-R	MAX60W	2×E12	Chrome 	Clear Crystal



ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

3

Mini Pendants



STOWE







A



B



No.	Model	Watt	Delivered Lumens	Finish	Dimmable with ELV dimmer(not included)
A	7117P3-1-101-B	10W	520	Sand Black	Color Temp 3000K
B	7117P3-1-101-A	10W	520	Sand Black	CRI(Ra) >90
					Dimming 100%-10%
					Rated Life 50000 hours



LENA






A



B




C



No.	Model	Watt	Delivered Lumens	Finish	Acrylic	Dimmable with ELY dimmer(not included)
A	1390P5-1-101	9W	468	Black	Frosted	Color Temp 3000K
B	1390P5-1-606	9W	468	Satin Nickel	Frosted	CRI(Ra) >80
C	1390P5-1-602	9W	468	Satin Gold	Frosted	Dimming 100%-10%
						Rated Life 50000 hours



MODEST



DYNAMIC

Mini Pendants






C



A



B



No.	Model	Watt	Bulbs	Finish
A	9631P10-1-101	MAX60W	1×E26	Black
B	9629P16-1-101	MAX60W	1×E26	Black
C	9629P12-1-101	MAX60W	1×E26	Black



MORGAN








A



B



C



No.	Model	Watt	Bulbs	Finish
A	9611P14-1-101	MAX60W	1×E26	Black
B	9611P11-1-101	MAX60W	1×E26	Black
C	9611P18-1-101	MAX60W	1×E26	Black

Mini Pendants

Arya

1020P12-8 -101
See page: 173



Arya

1020P12-8-602
See page: 170



Andes

1103P5-1-602
See page: 147



Deco

1112P12-4-169
See page: 189



Da Vinci

1153P10-1-169
See page: 161



Celeste

1212P14-1-169
See page: 162




Celeste

1212P8-1-169
See page: 162



Millipede

1245P8-602
See page: 133



Flute

1262P5-1-101
See page: 143



Lena

1390P5-1-101
See page: 291



Lena

1390P5-1-602
See page: 291



Lena

1390P5-1-602
See page: 291



Valira

1586P12-5-101
See page: 036



Valira

1586P12-5-624
See page: 034



Valira

1586P8-3-101
See page: 037



Valira

1586P8-3-624
See page: 034



Mini Pendants

Lava

1587P12-5-101
See page: 070



Lava

1587P12-5-624
See page: 064



Lava

1587P6-1-01
See page: 071



Lava

1587P6-1-624
See page: 065



Stagger

1588P6-3-101
See page: 098



Stagger

1588P6-3-624
See page: 092



Greta

1589P12-5-101
See page: 084



Greta

1589P12-5-624
See page: 078




Mini Pendants

GRETA
1589P5-1-1 (1)
See page: 0 85



GRETA
1589P5-1-€ 24
See page: 079



Salvador
1673P4-1-613
See page: 115



Milan
5626P6-1-601
See page: 213



Stowe
7117P3-1-101-A
See page: 2 89



Stowe
7117P3-1-10 -B
See page: 289



Empire
8001P 14C
See page: 265



Empire
8001P 14G
See page: 267



Princess
8012P 12C
See page: 273



Maria Theresa
8311P12C-;
See page: 253



Morgan
9611P11 - 1-101
See page: 295



Morgan
9611P 14-1-10
See page: 295



Morgan

9611P 18-1-101
See page: 295



Mod&st

9629P1 2-1-101
See page: 293



Maest

9629 F 6-1-101
See page: 293



Dynamic

9631P10-1 . 101
See page: 293



Mini Pendants

Sierra

9827P11- 2-101
See page: 234



Sierra

9827P14-4-101
See page: 234



Arkansas

9957P12-3-601
See page: 222



Weiss

9969P8-5-601
See page: 227





ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

4

Ceiling Lights



VALDIVIA





A




B




C



D



A C



B D

No.	Model	Watt	Bulbs	Finish	Glass	Crystal
A	1567C18-4-101	MAX60	4×E26	Black	Frosted	Clear
B	1567C22-5-101	MAX60	5×E26	Black	Frosted	Clear
C	1567C18-4-602	MAX60	4×E26	Satin Gold	Frosted	Clear
D	1567C22-5-602	MAX60	5×E26	Satin Gold	Frosted	Clear

Ceiling Lights

Savannah

1034C20-6-101
See page: 137



Savannah

1034C20-6-620
See page: 139



Savannah

1034C40-8-101
See page: 137



Savannah

1034C40-8-620
See page: 139



Element

1125C16-4-268
See page: 159



Element

1125C24-9-268
See page: 159



Pallocino

1205C16-6-601
See page: 167



Pallocino

1205C25-10-601
See page: 167



Valdivia

1567C18-4-101
See page: 303



Valdivia

1567C18-4-602
See page: 303



Valdivia

1567C22-5-101
See page: 303



Valdivia

1567C22-5-602
See page: 303



Ivy

5206C16C
See page: 277



Ivy

5206C22C
See page: 277



Veil

5613C20ST-R
See page: 213



Rain Drop

6601C12C
See page: 257



Empire

8001C12C
See page: 269



Empire

8001C12G
See page: 268



Empire

8001C14C
See page: 269



Empire

8001C14G
See page: 268



Empire

8001C18C
See page: 269



Empire

8001C20C
See page: 269



Empire

8001C20G
See page: 268



Empire

8001C24C
See page: 269



Ceiling Lights

Stefania

8003C12C
See page: 281



Stefania

8003C16C
See page: 281



Stefania

8003C20C
See page: 280



Stefania

8003C24C
See page: 280



Stefania

8003C30C
See page: 280



Stefania

8003C36C
See page: 280



Stefania

8003C8C
See page: 281



Colosseo

8005C12C-R
See page: 283



Colosseo

8005C14C-R
See page: 282



Colosseo

8005C16C-R
See page: 282



Colosseo

8005C20C-R
See page: 283



Princess

8012C12C
See page: 275



Princess

8012C16C
See page: 275



Princess

8012C20C
See page: 275



Sierra

9827C18-4-101
See page: 235






ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

5

Wall Sconces



CATANIA





A



B





C




D



E



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)
A	1502W5-1-101	6W	312	Black	Bubbled	CCT 2700,3000,3500,4000,5000K
B	1502W5-1-606	6W	312	Satin Nickel	Bubbled	CRI(Ra) >80
C	1502W5-1-602	6W	312	Satin Gold	Bubbled	Dimming 100%-10%
D	1502W7-1-101	10W	520	Black	Bubbled	Rated Life 50000 hours
E	1502W7-1-602	10W	520	Satin Gold	Bubbled	



PRIVATE I



LED 



A



B



C




D




E




F



A B



C D




E F

No.	Model	Watt	Delivered Lumens	Finish	Acrylic	
A	1241W6-103	5W	260	Matte White	Frosted	Dimmable with ELV dimmer(not included) Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
B	1241W6-101	5W	260	Matte Black	Frosted	
C	1243W6-103	6W	312	Matte White	Frosted	
D	1243W6-101	6W	312	Matte Black	Frosted	
E	1242W6-103	6W	312	Matte White	Frosted	
F	1242W6-101	6W	312	Matte Black	Frosted	



KIERA





Chocolate




Black



A



B



No.	Model	Watt	Bulbs	Finish
A	9613W4-1-126	MAX60W	1×E26	Chocolate
B	9613W4-1-101	MAX60W	1×E26	Black

Wall Sconces

Savannah

1034W8-2-101
See page: 137



Savannah

1034W8-2-620
See page: 139



Anita

1094W10-2-101
See page: 126



Anita

1094W10-2-620
See page: 127



Anita

1094W11-3-101
See page: 126



Anita

1094W11-3-620
See page: 127



Deco

1112W17-3-169
See page: 189



Deco

1112W8-1-169
See page: 189



Element

1125W8-1-268
See page: 158



Da Vinci

1153W9-1-69
See page: 1 € 1



Da Vinci

1153W10-1-169
See page: 1 € 1



Pallocino

1205W9-3-601
See page: 167



Celeste

1212W6-2-169
See page: 163



Private i

1241W6-101
See page: 313



Private i

1241W6-103
See page: 313



Private i

1242W6-101
See page: 313



Private i

1242W6-103
See page: 313



Private i

1243W6-101
See page: 313



Private i

1243W6-103
See page: 313



Millipede

1245W7-1-602
See page: 133



Guadiana

1246W5-101
See page: 120



Guadiana

1246W5-602
See page: 123



Guadiana

1246W8-101
See page: 120



Guadiana


1246W8-602
See page: 123



Wall Sconces


Cityscape

1247W13-5-602
See page: 197



Cityscape

1247W24-7-602
See page: 197



Catania

1502W5-1-101
See page: 311



Catania

1502W5-1-602
See page: 311



Catania

1502W5-1-606
See page: 311



Catania

1502W7-1-101
See page: 311



Catania

1502W7-1-602
See page: 311



Valira

1586W5-1-101
See page: 039



Valira

1586W5-1-624
See page: 035



Lava

1587W20-2-101
See page: 071



Lava

1587W20-2-624
See page: 061



Stagger

1588W5-1-101
See page: 099



Stagger

1588W5-624
See page: 093



Greta

1589W5-101
See page: 085



Greta

1589W5-24
See page: 079



Dragonswatch

1703W5-101
See page: 107



Dragonswatch

1703W5-602
See page: 103



Moon

1715W8-4-101
See page: 019



Moon

1715W8-4-6; 4
See page: 019



Empire

8001W12G-A
See page: 270



Empire

8001W12C-A
See page: 270



Empire

8001W12C-B
See page: 270



Empire

8001W12G-B
See page: 270



Colosseum

8005W5C-R
See page: 285



Wall Sconces

Colosseum

8005W6C-R
See page: 285



Maria Theresa

8318W12C-2 (Clear)
See page: 247



Maria Theresa

8318W12C-3 (Clear)
See page: 247



Maria Theresa

8318W5C-1 (Clear)
See page: 247



Kiera

9613W4-1-101
See page: 315



Kiera

9613W4-1-126
See page: 315



Sierra

9827W21-3-101
See page: 235



Sierra

9827W5-1-101
See page: 235






ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

6

Bath & Vanity



MILAN





LED



A



B



No.	Model	Watt	Delivered Lumens	Finish	Crystal	Dimmable with ELV dimmer(not included)	Color Temp	CRI(Ra)	Dimming	Rated Life
A	5624W24ST	8W	416	Chrome	Clear Crystal		4000K	>80	100%-10%	50000 hours
B	5624W32ST	10W	520	Chrome	Clear Crystal					

Bath Vanity

Arya

1020W18-8-101
See page: 173



Arya

1020W18-8-602
See page: 170



Arya

1020W36-17-101
See page: 173



Arya

1020W36-17-602
See page: 171



Oskil

1375W24-1-101
See page: 109



Oskil

1375W24-1-602
See page: 110



Valira

1586W36-3-101
See page: 038



Valira

1586W36-3-624
See page: 035



Stagger

1588W24-2-101
See page: 099



Stagger

1588W24-2-624
See page: 093



Stagger

1588W36-3-101
See page: 099



Stagger

1588W36-3-624
See page: 093



Greta

1589W24-101
See page: 085



Greta

1589W24-624
See page: 079



Himalayas

1601W26-101
See page: 057



Himalayas

1601W26-624
See page: 053



Himalayas

1601W36-101
See page: 057



Himalayas

1601W36-624
See page: 053



Candora

1698W24-101
See page: 047



Candora

1698W24-624
See page: 043



Bath & Vanity

Candora

1698W36-101
See page: 047



Candora

1698W36-624
See page: 043



Dragonswatch

1703W26-101
See page: 107



Dragonswatch

1703W26-602
See page: 102



Bath Vanity

Milan

5624W24ST
See page: 325



Milan

5624W32ST
See page: 325



Colosseum

8005W26C-RC
See page: 481





ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

7

Table & Floor Lamps

Table Floor Lamps

Da Vinci

1153T10-1-169

See page: 161



Celeste

1212T8-2-169

See page: 163



Balanced

5638T9ST

See page: 2 3



Empire

8001F18C


See page: 271



Empire

8001F18G

See page: 271



Empire

8001T14C

See page: 271





ROYCE Lighting


COMMERCIAL INDUSTRIAL & RESIDENTIAL

8

Mirrors

FEATURES

FOR Best Advantages



- ◆ Latest touching controls technology by Mirror Light. With just one simple click, our smart product line turns mirrors into multi-functions to create joyful experiences




- ◆ Product passed IP44 waterproof grade which means it could be used in bathroom environment.




- ◆ Application of LED lighting to ensure perfect performance. Combined with various lighting configurations to help build a trendy bathroom with lighting style



◆ DefOgger




◆ Flexible adjusting between warm white, natural white and cOOL white cOLOR temperature.





TOuch SensOr









Mirror Light Bathroom Technology

ABIGAIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 196 lm
7. Wattage: 23W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty




1233W30-36

Size | 30" x 36"







Mirror Light Bathroom Technology

ABIGAIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 248 lm
7. Wattage: 24W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty





1233W36-36

36" x 36"







Mirror Light Bathroom Technology

ABIGAIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 988 lm
7. Wattage: 19W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty




1233W40-36

Size: 40" x 36"







Mirror Light Bathroom Technology

ABIGAIL


Key Features:


1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in ULLED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 300 lm
7. Wattage: 25W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty




1233W30-49

Size: 30" x 49"







Mirror Light Bathroom Technology

ABRIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 092 lm
7. Wattage 21W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty




1232W30-36-A

Size | 30" x 36"







Mirror Light Bathroom Technology

ABRIL


Key Features:


1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 196 lm
7. Wattage 23W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty



1232W36-36-A

Size 36 x 36







Mirror Light Bathroom Technology

ABRIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 248 lm
7. Wattage: 24W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty




1232W40-36-A

Size | 40" x 36"







Mirror Light Bathroom Technology

ABRIL


Key Features:

1. 5mm environmental silver mirror, copper free, regular frosting
2. Metal chassis+electric box
3. Built-in UL LED driver
4. Touch sensor Switch
5. CRI>80
6. Delivered Lumens 300 lm
7. Wattage: 25W
8. Color Temp: 3000K, 4000K, 6000K
9. ETL certified, 3 year warranty



1232W30-49-A

Size 30" x 49"





ROYCE Lighting

COMMERCIAL INDUSTRIAL & RESIDENTIAL

9

Outdoor



FIJI






A




B




C



A



B



C

No.	Model	Watt	Delivered Lumens	Finish	Glass	Dimmable with Color Temp CRI(Ra) Dimming Rated Life	ELV dimmer(not included) 3000K >80 100%-10% 50000 hours
A	1702W48-101	13W	676	Black	Clear		
B	1702W36-101	9W	468	Black	Clear		
C	1702W24-101	6W	312	Black	Clear		

Outdoor



MALIBU



LED



A




B




C




D



A



B



C




D

No.	Model	Watt	Delivered Lumens	Finish	Acrylic	
A	1694W80-101	18W	936	Black	Frosted	Dimmable with ELV dimmer(not included) Color Temp 3000K CRI(Ra) >80 Dimming 100%-10% Rated Life 50000 hours
B	1694W59-101	15W	780	Black	Frosted	
C	1694W40-101	9W	468	Black	Frosted	
D	1694W32-101	7W	364	Black	Frosted	


Outdoor

ROCHESTER






C



A




B



D




E




A




B



C



D



E

No.	Model	Watt	Delivered Lumens	Finish	Crystal		
A	1696PT5-1-101	10W	520	Black	Clear		
B	1696P5-1-101	6W	312	Black	Clear		
C	1696W5-1-101-E	10W	520	Black	Clear	Color Temp	3000K
D	1696W5-1-101-C	6W	312	Black	Clear	CRI(Ra)	>80
E	1696W5-1-101-A	6W	312	Black	Clear	Rated Life	50000 hours

Outdoor

WINDSOR

A | | | | | | | | | |





B



C




D




E




F




A




B




C



D



E



F

No.	Model	Watt	Bulbs	Finish	Glass
A	1695P8-4-101	MAX60	4xE12	Black	Clear
B	1695PT6-1-101	MAX60	1xE26	Black	Clear
C	1695P7-1-101	MAX60	1xE26	Black	Clear
D	1695W8-4-101	MAX60	4xE12	Black	Clear
E	1695W7-1-101	MAX60	1xE26	Black	Clear
F	1695W6-1-101	MAX60	1xE26	Black	Clear

Outdoor

LEAWOOD





A



B




C




D




A



B



C



D

No.	Model	Watt	Bulbs	Finish	Glass
A	0413P8-1-101	MAX60	1×E26	Black	Clear
B	0413PT8-1-101	MAX60	1×E26	Black	Clear
C	0413W8-1-101	MAX60	1×E26	Black	Clear
D	0413W7-1-101	MAX60	1×E26	Black	Clear

CRAWFORD





A



B




C




D




E




A




B



C



D




E


No.	Model	Watt	Bulbs	Finish	Glass
A	0417P9-1-101	MAX60	1×E26	Black	Clear
B	0417PT9-1-101	MAX60	1×E26	Black	Clear
C	0417W11-1-101	MAX60	1×E26	Black	Clear
D	0417W9-1-101	MAX60	1×E26	Black	Clear
E	0417W7-1-101	MAX60	1×E26	Black	Clear

Pier mount



A 



No.	Model	Finish
A	0412B	Black 




ROYCE Lighting


COMMERCIAL INDUSTRIAL & RESIDENTIAL

10


Suspension Kit




A 






B 



C 



No.	Model	Finish
A	SK004-601	Chrome 
B	SK004-602	Satin Gold 
C	SK004-101	Black 

Item	Page	Item	Page
0412B	370	1044P32-601-R-3C	208
0413P8-1-101	367	1046P20-19-601	205
0413PT8-1-101	367	1046P20-3-601	205
0413W7-1-101	367	1046P26-5-601-RC	202
0413W8-1-101	367	1046P32-9-601-RC	204
0417P9-1-101	369	1046P34-6-601	203
0417PT9-1-101	369	1046P37-6-601	201
0417W11-1-101	369	1046P37-7-601-RC	202
0417W7-1-101	369	1046P43-5-601-RC	204
0417W9-1-101	369	1057P24-8-601	217
1020P12-8-101	173	1057P32-12-601	217
1020P12-8-602	170	1057P40-16-601	216
1020P26-25-101	172	1063P16-169	177
1020P26-25-602	170	1063P24-169	177
1020P36-16-101	173	1063P32-169	176
1020P36-16-602	171	1063P39-169-RC	175
1020P39-45-101	172	1063P47-169-RC	174
1020P39-45-602	169	1084P44-601-RC-1C	199
1020P39-70-101	172	1084P52-601-RC-1C	199
1020P39-70-602	168	1084P52-601-RC-2C	198
1020W18-8-101	173	1090P16-6-269	185
1020W18-8-602	171	1090P16-6-620	183
1020W36-17-101	173	1090P20-10-269	185
1020W36-17-602	171	1090P20-10-620	183
1034C20-6-101	137	1090P32-16-269	184
1034C20-6-620	139	1094P26-12-101	126
1034C40-8-101	137	1094P26-12-620	127
1034C40-8-620	139	1094P26-6-101	129
1034P16-6-101	136	1094P26-6-620	129
1034P16-6-620	138	1094P43-12-101	124
1034P30-9-101	136	1094P43-12-620	125
1034P30-9-620	138	1094P47-10-101	128
1034P40-14-101	135	1094P47-10-620	128
1034P40-14-620	138	1094W10-2-101	126
1034W8-2-101	137	1094W10-2-620	127
1034W8-2-620	139	1094W11-3-101	126
1040P20-101	155	1094W11-3-620	127
1040P26-101	155	1103P40-36-602	145
1040P42-101-O	154	1103P40-6-602	146
1044P24-601-R-5C	206	1103P5-1-602	147
1044P24-601-R-6C	207	1112P12-4-169	189
1044P32-601-R-1C	209	1112P16-4-169	188
1044P32-601-R-2C-B	208	1112P24-7-169	188

Item	Page
1112P32-12-169	186
1112P38-9-169	188
1112P40-34-169	187
1112W17-3-169	189
1112W8-1-169	189
1125C16-4-268	159
1125C24-9-268	159
1125P16-8-268	158
1125P24-11-268	157
1125P39-17-268	157
1125W8-1-268	158
1153P10-1-169	161
1153P16-3-169	161
1153P24-6-169	160
1153T10-1-169	161
1153W10-1-169	161
1153W9-1-169	161
1178P22-6-601	149
1178P44-20-601	149
1205C16-6-601	167
1205C25-10-601	167
1205P16-8-601	166
1205P25-15-601	166
1205P36-27-601	164
1205P39-27-601	165
1205W9-3-601	167
1212P14-1-169	162
1212P8-1-169	162
1212T8-2-169	163
1212W6-2-169	163
1220P24-601	191
1220P40-601-O	193
1220P40-601-S	192
1232W30-36-A	349
1232W30-49-A	355
1232W36-36-A	351
1232W40-36-A	354
1233W30-36	341
1233W30-49	347
1233W36-36	343
1233W40-36	345
1241W6-101	313
1241W6-103	313

Item	Page
1242W6-101	313
1242W6-103	313
1243W6-101	313
1243W6-103	313
1245P20-602	133
1245P26-602	132
1245P32-602	132
1245P40-602	131
1245P8-602	133
1245W7-1-602	133
1246P24-101-A	120
1246P24-602-A	122
1246P32-101	119
1246P32-602	122
1246P39-101	121
1246P39-602	123
1246W5-101	120
1246W5-602	123
1246W8-101	120
1246W8-602	123
1247P20-12-602	195
1247P28-18-602	195
1247P39-20-602-O	196
1247P39-24-602	194
1247W13-5-602	197
1247W24-7-602	197
1262P24-16-101	141
1262P30-54-101	140
1262P32-14-101	142
1262P5-1-101	143
1273P24-1-101	153
1273P24-1-602	153
1273P35-6-101-R	151
1273P35-6-602-R	151
1273P44-5-101-RC	152
1273P44-5-602-RC	152
1375P31-6-101	109
1375P31-6-602	110
1375P43-6-101	109
1375P43-6-602	111
1375W24-1-101	109
1375W24-1-602	110
1390P5-1-101	291

Item	Page	Item	Page
1390P5-1-602	291	1588W36-3-101	099
1390P5-1-606	291	1588W36-3-624	093
1502W5-1-101	311	1588W5-1-101	099
1502W5-1-602	311	1588W5-1-624	093
1502W5-1-606	311	1589P12-5-101	084
1502W7-1-101	311	1589P12-5-624	078
1502W7-1-602	311	1589P28-25-101	082
1567C18-4-101	303	1589P28-25-624	076
1567C18-4-602	303	1589P36-41-101	081
1567C22-5-101	303	1589P36-41-624	075
1567C22-5-602	303	1589P48-17-101-RC	083
1586P12-5-101	036	1589P48-17-624-RC	077
1586P12-5-624	034	1589P5-1-101	085
1586P48-101	039	1589P5-1-624	079
1586P48-624	032	1589W24-101	085
1586P60-3-101	038	1589W24-624	079
1586P60-3-624	033	1589W5-101	085
1586P8-3-101	037	1589W5-624	079
1586P8-3-624	034	1592P18-612	181
1586W36-3-101	038	1592P24-612	181
1586W36-3-624	035	1592P32-3-612	179
1586W5-1-101	039	1592P32-612	180
1586W5-1-624	035	1592P43-612-RC	180
1587P12-5-101	070	1601P48-101	056
1587P12-5-624	064	1601P48-624	051
1587P24-17-101	068	1601P62-101	055
1587P24-17-624	062	1601P62-624	052
1587P36-33-101	067	1601W26-101	057
1587P36-33-624	061	1601W26-624	053
1587P48-14-101-RC	069	1601W36-101	057
1587P48-14-624-RC	063	1601W36-624	053
1587P6-1-101	071	1673P24-13-613	114
1587P6-1-624	065	1673P32-23-613	113
1587W20-2-101	071	1673P40-9-613-RC	115
1587W20-2-624	065	1673P4-1-613	115
1588P48-10-101	097	1694W32-101	361
1588P48-10-624	091	1694W40-101	361
1588P60-14-101	096	1694W59-101	361
1588P60-14-624	090	1694W80-101	361
1588P6-3-101	098	1695P7-1-101	365
1588P6-3-624	092	1695P8-4-101	364
1588W24-2-101	099	1695PT6-1-101	365
1588W24-2-624	093	1695W6-1-101	365

Item	Page
1695W7-1-101	365
1695W8-4-101	365
1696P5-1-101	363
1696PT5-1-101	363
1696W5-1-101-A	363
1696W5-1-101-C	363
1696W5-1-101-E	363
1698P50-101	046
1698P50-624	042
1698P72-101	045
1698P72-624	041
1698W24-101	047
1698W24-624	043
1698W36-101	047
1698W36-624	043
1702W24-101	359
1702W36-101	359
1702W48-101	359
1703P32-45-101	106
1703P32-45-602	101
1703P48-12-101-RC	105
1703P48-12-602-RC	103
1703P48-18-101-RC	107
1703P48-18-602-RC	102
1703W26-101	107
1703W26-602	102
1703W5-101	107
1703W5-602	103
1710P50-3-101	028
1710P50-3-624	029
1710P70-3-101	027
1710P70-3-624	026
1715P54-7-101	017
1715P54-7-624	014
1715P70-10-101	018
1715P70-10-624	013
1715P8-4-101	016
1715P8-4-624	015
1715W8-4-101	019
1715W8-4-624	015
1717P50-101	023
1717P50-624	021
1717P72-101	022

Item	Page
1717P72-624	020
5025P22C-5	229
5025P34C-8	229
5095P16B-3	243
5095P22B-6	243
5095P32B-9	242
5206C16C	277
5206C22C	277
5206P22C	277
5206P28C	277
5206P40C	276
5613C20ST-R	213
5624W24ST	323
5624W32ST	323
5626P6-1-601	213
5628P34ST-20	211
5635P21ST-3S (Clear)	210
5638T9ST	213
6601C12C	257
6601C16C	257
6601C24C(H:35)	256
6601C32C-12	256
6601C32C-16	256
6606C20C	254
6606C24C	254
6606C32C	254
6629C26C	255
7112P24-103	215
7112P31-103	215
7117P3-1-101-A	289
7117P3-1-101-B	289
8001C12C	269
8001C12G	268
8001C14C	269
8001C14G	268
8001C18C	269
8001C20C	269
8001C20G	268
8001C24C	269
8001F18C	271
8001F18G	271
8001P14C	265
8001P14G	267

Item	Page	Item	Page
8001P18C	265	8012P20G	274
8001P18G	267	8012P24C	272
8001P20C	265	8012P24G	274
8001P20G	267	8311P12C-3	253
8001P24C	264	8311P24C-9 (Clear)	252
8001P24G	266	8311P30C-13 (Clear)	251
8001P28C	264	8311P32C-19 (Clear)	250
8001P28G	266	8318P36C-25 (Clear)	249
8001P30C	263	8318P42C-33 (Clear)	248
8001P30G	260	8318P50C-41 (Clear)-B	246
8001P32C	264	8318P60C-49 (Clear)-A	245
8001P36C	262	8318P70C-84 (Clear)-A	244
8001P36G	261	8318W12C-2 (Clear)	247
8001P42C	262	8318W12C-3 (Clear)	247
8001P42G	261	8318W5C-1 (Clear)	247
8001P50C	263	9611P11-1-101	295
8001T14C	271	9611P14-1-101	295
8001W12C-A	270	9611P18-1-101	295
8001W12C-B	270	9613W4-1-101	315
8001W12G-A	270	9613W4-1-126	315
8001W12G-B	270	9629P12-1-101	293
8003C12C	281	9629P16-1-101	293
8003C16C	281	9631P10-1-101	293
8003C20C	280	9748P42-3-101	237
8003C24C	280	9748P59-4-101	237
8003C30C	280	9827C18-4-101	235
8003C36C	280	9827P11-2-101	234
8003C8C	281	9827P14-4-101	234
8003P18C	279	9827P18-6-101	233
8003P22C	279	9827P26-8-101	232
8003P30C	278	9827P30-12-101-A	232
8005C12C-R	283	9827P38-12-101	231
8005C14C-R	282	9827P38-8-RC-101	233
8005C16C-R	282	9827W21-3-101	235
8005C20C-R	283	9827W5-1-101	235
8005W26C-RC	284	9836P17-4-125	241
8005W5C-R	285	9836P28-6-125	240
8005W6C-R	285	9836P37-12-125	239
8012C12C	275	9906P16-6-208	219
8012C16C	275	9906P31-8-208	219
8012C20C	275	9957P12-3-601	222
8012P12C	273	9957P20-4-101	223
8012P20C	273	9957P20-4-601	221

Item	Page
9957P30-6-101	223
9957P30-6-601	221
9957P42-12-101	223
9957P42-12-601	220
9969P18-5-601	227
9969P24-12-601	226
9969P30-15-601	225
9969P8-5-601	227
SK004-101	374
SK004-601	374
SK004-602	374



Brighter Living. Simpli